



GSTIN :- 03BESPS8166L1ZM DT:- 25/06/2017 PAN :- BESPS8166L TIN NO. :- 03962091136 DT:- 19-04-2011

 MOBILE
 :- (+91)98141-17567 / (+91)87270-84000

 EMAIL
 :- info@matharooandmatharoo.co.in

EMAIL :- info@matharooandmatharoo.co.in :- mmfidelityinc@gmail.com Website :- www.matharooandmatharoo.co.in

Features of Burrmaster SEF-50

Burrs and sharp edges are always a problem. They can cause injuries and impair product quality. They reduce productivity and consequently threaten your competitive position. Do not underestimate the problem of Burr. TAKE A PROFESSIONAL LOOK AT ECONOMICAL SOLUTION.

BURRMASTER SEF-50

A machine specially engineered for ID and OD chamfering on a circular pipe or bar stock at one time providing efficient and precise results.

- Pneumatic stopper
- Pneumatic clamping.
- > End chamfering with Machine head moving on Linear motion guide ways.
- > ID & OD chamfer and Facing done simultaneously.
- Two speed machining head for different sizes.
- Specially designed tool head carries three adjustable throwaway carbide Tips.
- Chamfering feed controlled with hydro pneumatic cylinder
- > Forward & Reverse motion controlled with Pressure regulating valves.



Email:- info@matharooandmatharoo.co.in / mmfidelityinc@gmail.com Website: www.matharooandmatharoo.co.in



M&M Fidel	ť
Processing Innovation's ORMERLY MATHAROO & MATHAROO INC. PLOT NO. 886, INDUSTRIAL AREA-A, NEAR PSPCL, LUDHIANA-141003(PUNJAB)	r

	·	
_		
\mathbf{n}		

GSTIN PAN TIN NO. :- 03BESPS8166L1ZM DT:- 25/06/2017 :- BESPS8166L :- 03962091136 DT:- 19-04-2011

MOBILE EMAIL :- (+91)98141-17567 / (+91)87270-84000

:- info@matharooandmatharoo.co.in :- mmfidelityinc@gmail.com :- www.matharooandmatharoo.co.in Website

Specification			
MODEL	SEF -50		
TOOL HEAD CAPACITY	50 MM MAX		
AIR PRESSURE	6 TO 8 KG / CM		
ELECTRICAL	.5 / .375 HP / KW		
WEIGHT	200 KG.		
DIMENSIONS	75 X 1000 X 1800 MM		
TUBE LENGTH	NO LIMIT		

The speed may be changed to meet material variation, ensuring long service life of the Chamfering Tools.

Outside Diameter	Spindle Speed (R.P.M)			
	Ferrous	Aluminum or	Stainless	
	Material or	Copper	Steel	
	Hard Copper			
3.2mm-16mm(1/8"-5/8")	3200	4000	3200	
19mm-25.4mm(3/4"-1")	1600	3200	1800	
32mm-50mm(1.1/4"-2")	900	1200	900	

FEATURES

- \triangleright Specially designed tool head & clamping jaw for simultaneous ID, OD and face one end of the tube or pipe at the same time.
- Two speed pulley gives two speeds for different diameters. \geq
- \triangleright Special Timer for holding the tube at the time of finishing for smooth finish.

STANDARD EQUIPMENT

- \geq One set of keys.
- \triangleright One set of clamping jaws.
- \geq One set of Carbide tip holder.
- Electricals suitable for 415 V 3 phase standard supply. \geq
- \geq Standard Color Ash grey.



Email:- info@matharooandmatharoo.co.in / mmfidelityinc@gmail.com Website: www.matharooandmatharoo.co.in





GSTIN :- 03BESPS8166L1ZM DT:- 25/06/2017 PAN TIN NO. :- BESPS8166L :- 03962091136 DT:- 19-04-2011

MOBILE EMAIL :- (+91)98141-17567 / (+91)87270-84000 :- info@matharooandmatharoo.co.in :- mmfidelityinc@gmail.com :- www.matharooandmatharoo.co.in

Website

SCOPE OF WORK

- \geq Basic machine complete with electrical,
- \geq Tooling whatever ordered.
- \succ Training Inspection and try out at our end.

NOT INCLUDED IN OUR SCOPE OF WORK

- \triangleright Tooling that are not ordered.
- \geq Civil installation at your end.
- \succ Any other features not mentioned above.

Terms & Conditions

Rates	\rightarrow	Ex-Works.	

 \rightarrow At Actual. Packing

.

- \rightarrow 18% G.S.T. As Applicable At The Time Of Taxes Delivery. Excise \rightarrow As Applicable At The Time Of Delivery.
- **Payment** → 50 % Advance And Balance At The Time Of Delivery
- **Delivery** → 3-4 weeks After The Confirmation Of Order & advance payment.
- HSN CODE \rightarrow 84601900 (Machinery & Machinery Parts)

For M & M Fidelity Inc. (Formerly Matharoo & Matharoo Inc.)

Malwinder Pal Singh (9814117567) Yadwinder Singh (8727084000)



Email:- info@matharooandmatharoo.co.in / mmfidelityinc@gmail.com Website: www.matharooandmatharoo.co.in